


**14/5** **DETAIL**  
**OPTION 4**

\* CORRUGATED ALUMINUM OR STEEL PIPE


USE ONLY WHERE THERE IS NO RIPARIAN CORRIDOR



**14/4** **DETAIL**  
**OPTION 5**

NOTES FOR GRADING ADJACENT TO DISTRICT RIGHT OF WAY

1. ADDITIONAL R/W MAY BE NEEDED, IF SO, REMOVE EXISTING FENCE (IF ANY) AND INSTALL NEW CHAIN LINK FENCE ON FINAL R/W.
2. FILL PLACED WITHIN SCVWD R/W IS TO BE WITH SUITABLE MATERIAL AND COMPACTED TO 90% RELATIVE IN ACCORD WITH ASTM D1557.
3. ANY ADDITIONAL R/W NEEDED AS A RESULT OF OPTION CHOSEN, IS TO BE DEDICATED.
4. ANY OTHER PROPOSAL WHICH SATISFACTORILY PREVENTS OVER-BANK DRAINAGE AND THE PLACEMENT OF FILL AGAINST R/W FENCE BY FUTURE LOT OWNERS WILL BE CONSIDERED.
5. OBSERVE THE URBAN RUNOFF POLLUTION PREVENTION REGULATIONS DURING GRADING OPERATIONS.
6. SHOW EXISTING TREES THAT ARE TO REMAIN AND THOSE PROPOSED TO BE REMOVED. IDENTIFY WITH SPECIES AND DIAMETER @ 4- FEET FROM GROUND.

**Santa Clara Valley Water District**   
5750 Almaden Expressway, San Jose 95118  
Phone (408)265-2600

---

SCALE: N.T.S.

---

9/4/2001  
REVISED

Sheet30a.dwg

GRADING ADJACENT  
TO DISTRICT  
RIGHT OF WAY

GUIDE  
**14**  
**3**  
SHEET